



Kvadrat Revive 1

技术参数/ Technical Parameter	
材质 Material	100%永久阻燃涤纶 100% recycled polyester FR
克重 Weight	约430 克/延米 App. 430/lin.m
幅宽 Width	140cm
耐磨度 Abrasion Resistance	马丁代尔系数60,000转 60,000 Martindale cycles
光照色牢度 Light Fastness	(Note 5-7,ISO 105-B02)
阻燃性 Flammability	EN 1021-1/2 DIN 4102 B1 Önorm B1/Q1 UNI 9175 1IM US Cal. Tech. Bull. 117 IMO A.652 (16) 不使用含溴阻燃剂 No use of brominated flameretardants
面料养护 Cleaning	吸尘器定期清理，干洗或用湿布擦拭 Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.



Kvadrat Revive 1




KR-04 黄色 yellow


注释：不同批次的实际产品存在+/- 5%的色差。我们保留修改技术规格的权利，不另行通知。
Note: Slightly chromatic aberration for different batches have a variation of +/-5% with the real product, to spot shall prevail.
We reserve the right to alter technical specifications without notice.

Kvadrat Revive 1


仅适用于椅子
only for chairs



KR-01 浅灰色 light grey



KR-02 深灰色 dark grey




KR-03 卡其色 khaki



KR-04 黄色 yellow



KR-05 墨绿色 blackish green





KR-06 粉色 pink

Gabriel Mozart

技术参数/ Technical Parameter	
材质 Material	100%涤纶 100%Polyester
克重 Weight	600g/m²±5%
幅宽 Width	140cm
耐磨度 Abrasion Resistance	马丁代尔系数80,000转 80,000 rubs. ENISO 12947-2(Martindale)
光照色牢度 Light Fastness	scale 1-8,max 8 EN IXO 105-B02 AATCC 16 Light fastness
光照色牢度 Light Fastness	scale 1-8,max 8 EN IXO 105-B02 AATCC 16 Light fastness
摩擦色牢度 Colour fastness to tubbing	scale 1-5,max 5 EN IXO 105x12 (wet/dry)
阻燃性 Flammability	EN ISO 1021 1&2 Flame retardant performance is dependent upon the foam used.
面料养护 Cleaning	吸尘器定期清理，干洗或用湿布擦拭 Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.





GMZ-62061 黄色 yellow

注释：不同批次的实际产品会存在+/- 5%的色差。我们保留修改技术规格的权利，不另行通知。
Note: Slightly chromatic aberration for different batches have a variation of +/-5% with the real product, to spot shall prevail.
We reservethe right to alter technical specifications without notice.



GMZ-60186 浅灰色 light grey



GMZ-60188 灰色 grey



GMZ-60189 深灰色 dark grey



GMZ-67062 青色 cyan



GMZ-68143 浅绿色 light green



GMZ-68144 绿色 green




GMZ-66159 蓝色 blue



GMZ-66160 深蓝色 dark blue



GMZ-64194 紫色 purple



GMZ-64135 粉色 pink



GMZ-63076 砖红色 brick red



GMZ-64139 红色 red

Gabriel Medley

技术参数/ Technical Parameter			
材质 Material	100% 涤纶 100% Polyester		
克重 Weight	510g/lm (16.45 oz/lin.yd.)		
幅宽 Width	140cm		
耐磨度 Abrasion Resistance	(EN ISO 12947-2) 75,000 Martindale		
光照色牢度 Light Fastness	scale 1-8, max. 8 - EN ISO 105-B02 5-7		
阻燃性 Flammability	EN 1021 1&2. BS 5852 0&1. Calif. Tech. Bull. 117-E.UNI 9175 Class 1 IM Will also pass other flammability standards Note: Flame retardant performance is depent upon the foam used. 阻燃性和面料下面的海绵密切相关		
面料养护 Cleaning	吸尘器定期清理，干洗或用湿布擦拭 Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.		

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different bacthes, to spot shall prevail.





GM-61002 卡其色 khaki



GM-61003 咖啡色 coffee



GM-61004 褐色 brown



GM-60167 浅灰色 light grey



GM-60004 深灰色 dark grey




GM-68005 深绿色 dark green



GM-68002 浅绿色 light green



GM-62002 黄色 yellow



GM-67054 青色 cyan New



GM-64124 粉色 pink New



GM-65012 紫色 purple



GM-64019 红色 red




GM-63013 橙色 orange



GM-63064 粉色 pink New



GM-63017 橘红色 jacinth New



GM-66009 宝蓝色 royal blue



GM-66007 深蓝色 dark blue




GM-67053 靛蓝 indigo blue


Camira Blazer

技术参数/ Technical Parameter		
材质 Material	100% Laneve™ 初剪羊毛 100% Laneve™ wool	
克重 Weight	460g/m²±5%	
幅宽 Width	140cm	
耐磨度 Abrasion Resistance	5年质保/ 马丁代尔系数50,000转 5 years guarantee/50,000 Martindale cycles	
光照色牢度 Light Fastness	(ISO 105-B02:1999) 5 class	
阻燃性 Flammability	BS EN 1021-1:2006(cigarette) BS EN 1021-2:2006(match) BS 7176:2007 Low Hazard Optional-Please specify when ordering: BS 5852:2006 Section 4 Ignition Source 5 BS 7176:2007 Medium Hazard	
面料养护 Cleaning	吸尘器定期清理，干洗或用湿布擦拭 Vacuum regularly. Professionally dry clean or wipe clean with a damp cloth.	

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.



Camira Landscape Collection



CB-58 黄色 yellow



注释：不同批次的颜色差异会发生在商业公差范围内。我们保留修改技术规格的权利，不另行通知。
Note: Batch to batch variations in shade may occur within commercial tolerance. We reserve the right to alter technical specifications without notice.

Camira Blazer



CB-04 红色 red



CB-06 浅灰色 light grey



CB-05 深灰色 dark grey



CB-11 浅蓝色 light blue



CB-08 青色 cyan



CB-10 蓝色 blue



CB-07 草绿色 grass green



CB-53 绿色 green



CB-01 墨绿色 blackish green



CB-40 卡其色 khaki



CB-82 黄棕色 yellowish brown




CB-39 橘红色 jacinth



OTE Lido

技术参数/ Technical Parameter	
材质 Material	100%涤纶 100% Polyester
克重 Weight	480g/m²±5%
幅宽 Width	145cm
耐磨度 Abrasion Resistance	EN ISO 12947-2-1998; Martindale Wear & Abrasion Tester; 12 kPa.Pressure >40,000 cycle
光照色牢度 Light Fastness	ISO 105 - B02:1994/Amd1:1998+Amd2:2000;use Xenon arc lamp. 4-5 class
抗拉强度 Tensile Strength	ISO 13934-1:2014;CRE-25mm grab 1700(Warp)N;1700(Weft)N
抗起球性 Pilling Resistance	ISO 12945-2:2000;Martindale abrasion&Pilling tester.415g. After1000 rubs;After5000 rubs 4-5 rating

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.



OTE Mountain



OM-11 黄色 yellow

注释：不同批次的实际产品会存在+/- 5%的色差。我们保留修改技术规格的权利，不另行通知。
Note: Slightly chromatic aberration for different batches have a variation of +/-5% with the real product, to spot shall prevail.
We reserve the right to alter technical specifications without notice.

OTE Lido



OL-04 卡其色 khaki



OL-40 浅灰色 light grey



OL-21 深灰色 dark grey



OL-03 深卡其色 dark khaki

New



OL-13 绿色 green



OL-14 深绿 dark green

New



OL-11 青色 cyan



OL-54 蓝色 blue



OL-17 紫色 purple



OL-07 紫红 purple red

New



OL-09 橙色 orange

New



OL-15 红色 red

Color Leatherette

材质 Material	聚氯乙烯 PVC(Polyvinyl chloride)
克重 Weight	750g/m²±5%
幅宽 Width	135cm±2%
耐磨度 Abrasion Resistance	18#砂轮500转/马丁代尔15万转 150,000 Martindale cycles
色牢度 Fastness	4-5class

Mastrotto Authentic Leather

材质 Material	头层牛皮 First layer of leather
克重 Weight	770g/m²±5%
幅宽 Width	不规则形状 Irregular shape


Mastrotto Silk Leather

材质 Material	头层牛皮 First layer of leather
克重 Weight	770g/m²±5%
幅宽 Width	不规则形状 Irregular shape

Microfiber Leatherette

材质 Material	聚氨酯甲酯&DINP PVC(Polyvinyl chloride)
克重 Weight	758.92g/m²±5%
幅宽 Width	137cm±2%


注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.




Leather

lightSpace

Color Leatherette



CL-05 卡其色 khaki



CL-04 浅灰色 light grey



CL-03 深灰色 dark grey




CL-01 黑色 black



CL-09 浅绿色 light green



CL-08 深绿色 dark green




CL-07 浅蓝色 light blue




CL-06 蓝色 blue



CL-02 藏青色 navy blue



CL-12 黄橙色 light orange



CL-10 红色 red



CL-11 橙色 orange

注释：不同批次的实际产品会存在+/- 5%的色差。我们保留修改技术规格的权利，不另行通知。
Note: Slightly chromatic aberration for different batches have a variation of +/-5% with the real product, to spot shall prevail.
We reserve the right to alter technical specifications without notice.


Mastrotto Authentic Leather



ML-01 骑士黑 black



ML-02 太空灰 grey



ML-03 海狸褐 brown



ML-04 银棕 silver brown



ML-05 卡其灰 khaki grey



ML-06 珍珠白 pearl white

Mastrotto Silk Leather



MS-003 黑色 black

New



MS-3119 白色 white

New



MS-3124 棕色 brown

New

ACE SMART Microfiber Leatherette

材质 Material	尼龙、聚氨酯 Nylon, Polyurethane
幅宽 Width	137cm±2%
厚度 Thickness	0.2cm

注：此报告的某些值与实际产品会存在+/-5%的色差。不同批次会产生的轻微色差，以实样为准。
NOTE: Some values for this report may have a variation of +/-5% with the real product.
Slightly chromatic aberration for different batches, to spot shall prevail.





ASSQ-2153 黑色 black

注释：不同批次的实际产品存在+/- 5%的色差。我们保留修改技术规格的权利，不另行通知。
Note: Slightly chromatic aberration for different bacthes have a variation of +/-5% with the real product, to spot shall prevail.
We reservethe right to alter technical specifications without notice.




AS-2152 墨蓝色 dark blue




AS-2153 黑色 black



AS-2134 赤褐色 brown



AS-2147 灰蓝色 grey blue



AS-2151 灰棕色 grey brown



AS-2104 浅卡其色 light khaki



AS-2118 粉色 pink



AS-2121 粉绿色 pink green



AS-2125 橄榄绿 olive